

Attachment C

Permit # _____

Ordinance #1

City of Cottonwood
P.O. Box 293
Scurry, Tx 75158

Application for Swimming Pool/SPA

This document provides for the homeowner to certify that one (1) of the following protection devices has been installed at a particular address.

I certify that one (1) of the following protection devices are installed between all doors leading from the house and garage into the pool area. (initial one)

_____1. All doors leading into the pool area are equipped with an alarm. The alarm sound continuous for at least 30 seconds – or until the alarm is manually reset. (if the door closes within (30) second period, the alarm is capable of being heard throughout the house during normal household activities. The alarm automatically resets under all conditions.

_____2. All doors leading from the house into the pool area are equipped with self-closing and self-latching devices. The latch must be at least fifty-four (54) inches above the floor.

Name of homeowner/application _____

Site address where protection installed _____

Print Name _____ signature _____

Telephone No. _____

Permit cost \$75.00

See attachment for check list

SWIMMING POOL/SPA CHECKLIST

This checklist must be submitted with a Building Permit Application for any swimming pool or SPA.

Property Address _____

Contractor _____

Residential _____ In-Ground Pool _____

SPA _____ Other _____

The following documents must be submitted with application:

___ Contractor Registration Application with State issued ID and appropriate trade license.

___ Plan review checklist

___ Survey

___ Construction Plans

Each of the following are required, please check which of the following that have been included.

Yes/No

___ Survey of property showing pool location

___ Show distance from residence or building (minimum of 5 ft. from residence to water edge)

___ Show distance from side property line (min. 3 ft. setback not to encroach into any easement includes deck).

___ Show distance to rear property line (not to encroach into easements, including deck).

___ Provide a stamped approval of the pool's location by electric utility provider. Call 811

___ Provide elevation of highest portion of the pool.

___ Provide pool and deck design drawings showing: size, shape, profile, location of equipment and grounding.

___ Provide pool, deck and equipment specifications.

___ ___ all pools shall be completely surrounded by a fence, wall, not less than four (4) feet in height.

___ ___ Provide a letter of certification by the CONTRACTOR stating that work to be done will not alter the existing drainage of the property. It shall be the pool contractor's responsibility to see that these requirements are met.

All residence who owns property within the City limits of Cottonwood must adhere to all City Ordinances.

Applicant's Signature: _____ Date _____

Print Name: _____ Contact Phone # _____

SWIMMING POOL, SPA AND DECK
PLAN REVIEW AND INSTALLATION REQUIREMENTS

1. ALL SWIMMING POOLS, SPAS AND ASSOCIATED DECKS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE 2015 International Swimming Pool and SPA code (ISPSC), 2015 International Residential Code (IRC), 2015 International Energy Conservation Code (IECC), 2014 National Electric Code (NEC)
2. All swimming pools and spas shall comply with the Virginia Graeme Baker Pool and spa safety act (VGBA)
3. Swimming pools shall be a minimum of five (5) ft from residence or building including deck.
4. Swimming pools, decks and equipment shall be a minimum of three (3) ft. from side property lines and not to encroach into any easement including deck.
5. The pool and/or deck may not encroach into any drainage, utility or other easement.
6. All pools shall be completely surrounded by a fence or wall, not less than four (4) feet in height.
7. All gates on the fence or wall surrounding the pool shall be self-closing and self-latching
8. No electrical equipment shall be placed within six (6) ft of the water's edge.
9. All exterior convenience outlets shall be protected by a ground fault circuit interrupter.
10. All exterior convenience outlets closer than six (6) ft. to the water's edge shall be discontinued.
11. All overhead conductors shall not be closer than approved by the electric utility provider and the 2014 NRC Section 680.8.
12. All exterior hose bibs shall be protected with anti-siphon devices, p-trap required and hard plumbed to sanitary sewer.
13. Installation and construction work to be done cannot alter the existing drainage of the property. It shall be the pool contractor's responsibility to see that these requirements are met.

14. Pool heaters must comply with IECC section 403.9, 403.9.1, 403.9.2 and 504.7.

15. All pools shall have a backwash line and P-trap installed, cartridge or non-cartridge filter and must have a cap or p-trap to prevent rain water and objects from entering the sanitary sewer.

*MORE details
in official file*